



Grupo JHP

Conexões pneumáticas INOX 316L

Modelo: S0225



Especificações gerais

- *Conexões pneumáticas em INOX 316L*
- *Conexões do tipo push-in para mangueiras pneumáticas*
- *Resistentes a ambientes corrosivo*
- *Modelo BSPT (Rosca padrão britânico cônica)*



Grupo JHP

Conexões pneumáticas INOX 316L

Modelo: S0225



Conexão reta macho

CÓDIGO	Tubo	Rosca
PC04M5IN	4mm	M5
PC04G01IN	4mm	1/8
PC06M5IN	6mm	M5
PC06G01IN	6mm	1/4
PC06G02IN	6mm	3/8
PC08G01IN	8mm	1/8
PC08G02IN	8mm	1/4
PC08G03IN	8mm	3/8
PC08G04IN	8mm	1/2
PC10G02IN	10mm	1/4
PC10G03IN	10mm	3/8
PC10G04IN	10mm	1/2
PC12G02IN	12mm	1/4
PC12G03IN	12mm	3/8
PC12G04IN	12mm	1/2



Cotovelo macho

CÓDIGO	Tubo	Rosca
PL04M5IN	4mm	M5
PL04G01IN	4mm	1/8
PC06M5IN	6mm	M5
PL06G01IN	6mm	1/4
PL06G02IN	6mm	3/8
PL08G01IN	8mm	1/8
PL08G02IN	8mm	1/4
PL08G03IN	8mm	3/8
PL08G04IN	8mm	1/2
PL10G02IN	10mm	1/4
PL10G03IN	10mm	3/8
PL10G04IN	10mm	1/2
PL12G02IN	12mm	1/4
PL12G03IN	12mm	3/8
PL12G04IN	12mm	1/2



Tee macho central

CÓDIGO	Tubo	Rosca
PT04G01IN	4mm	1/8
PT06G01IN	6mm	1/4
PT06G02IN	6mm	3/8
PT08G01IN	8mm	1/8
PT08G02IN	8mm	1/4
PT10G02IN	10mm	1/4
PT10G03IN	10mm	3/8
PT12G03IN	12mm	3/8
PT12G04IN	12mm	1/2



União reta tubo x tubo

CÓDIGO	Tubo
PUC04IN	4mm
PUC06IN	6mm
PUC08IN	8mm
PUC10IN	10mm
PUC12IN	12mm



Grupo JHP

Conexões pneumáticas INOX 316L

Modelo: S0225



Banjo regulador
de fluxo

CÓDIGO	Tubo	Rosca
NSE04M5IN	4mm	M5
NSE06M5IN	6mm	M5
NSE06G01IN	6mm	1/8
NSE06G02IN	6mm	3/8
NSE08G01IN	8mm	1/8
NSE08G02IN	8mm	1/4



Tee igual tubo x
tubo

PUT04IN	4mm
PUT06IN	6mm
PUT08IN	8mm
PUT10IN	10mm
PUT12IN	12mm



Cotovelo tubo x
tubo

PUL04IN	4mm
PUL06IN	6mm
PUL08IN	8mm
PUL10IN	10mm
PUL12IN	12mm



União Paine
tubo x tubo

PMM04IN	4mm
PMM06IN	6mm
PMM08IN	8mm
PMM10IN	10mm
PMM12IN	12mm